

Garaventa Elevators

ELVORON LU/LA

Limited Use / Limited Application Elevator








The Elvoron LU/LA is a limited use limited application elevator designed for low rise and low occupancy buildings. It is fully automatic in operation and is very similar in look and feel to larger commercial elevators. The Elvoron LU/LA provides vertical access for everyone, including able bodied passengers, persons with disabilities and even children in strollers. This compact elevator can also be used in luxury residential applications where the characteristics of a commercial elevator are desired.

The Elvoron LU/LA - Engineered for Safety, Comfort & Reliability

When choosing a LU/LA elevator, it's what you don't see that really counts. Our Elvoron design team selected only heavy duty structural components and well-proven drive and control systems to ensure safety, comfort and long-term reliability.



Elvoron Controls - Elegant & Functional with a Choice of Finishes

The controls of the Elvoron LU/LA are the same as would be found on a commercial elevator. Operation is fully automatic. The Car Operating Panel, Hall Stations and Direction Lantern are available in Brushed Stainless Steel, Brass and Antique Brass Finishes.



Car Operating Panel (COP)

The Elvoron LU/LA COP is equipped with a digital floor indicator, illuminated floor buttons, alarm button, door open and door close buttons and a keyed emergency stop switch. An optional integrated hands-free phone is available.



Car Direction Lantern

Mounted in the car doorway, the Car Direction Lantern is an audio and visual signaling device that indicates direction of travel and arrival at the floor.

Hall Stations


Elvoron hall station buttons illuminate when pushed. The push button itself is always made of stainless steel for maximum durability. Wall plates are available in our three standard finishes. For increased safety and security, an optional key switch allows the entire elevator to be deactivated.



Doors, Fixtures & Finishes

Your Elvoron elevator will be a key feature of your building. Interior design and finish are important considerations. We offer a variety of attractive and durable wall and ceiling finishes as shown below. If you're looking for something a little different, our custom shop can build you the elevator car of your dreams! All Elvoron cars are supplied with basic plywood floors ready for installation of your preferred flooring material, as supplied by others.

Car Wall Laminate Panel Selection - Fire rated, tough and easy to clean. Offered in a choice of 8 standard colors.



White















Grey Empire Mahogany

Car Wall Trim Colors

The trim separates the car wall panels and adds the finishing touch to your elevator cab. The standard trim is available in black or white. Custom colors and stainless steel finish trims are available as an option..







Entrance Doors & Car Doors

Like a commercial elevator, the Elvoron LU/LA is equipped with two-speed horizontal sliding entrance and car doors. The car doors are finished to match your car wall trim and are equipped with full height photo-electric door sensors. The entrance doors are primed and ready to be painted to match your building décor. All doors can also be supplied in brushed stainless steel.

Custom Car Finishes!

Elvoron LU/LA car interiors can be customized to whatever unique design best suits your building project. Our custom shop offers a wide variety of wall, ceiling and fixture finishes. We can also build elegant stainless steel and glass cars!



Handrail Choices

All Elvoron cars are equipped with one handrail on the control wall. The handrails are available in three standard finishes or can be customized. Additional handrails can be mounted on the other car walls for extra passenger security.





White

Black

Ceilings & Halogen Lighting

All Elvoron LU/LA's are equipped with four recessed low-voltage halogen lamps that illuminate automatically when the doors open. Ceiling choices are white, stainless steel or custom. White lamps are fitted into white ceilings, black into stainless ceilings.

Other Garaventa Products:



Garaventa Elvoron CPL Model

The Elvoron CPL is a vertical platform lift equipped with a full height cab and a non-load bearing ceiling. It looks and feels like a small elevator but costs much less. The Elvoron CPL is designed to provide access for people with disabilities in commercial buildings. Simple constant pressure operation and swing door access ensure reliability and ease of operation for passengers.

Free Design Assistance!

Call your local Garaventa representative or our Design Hotline at 1.800.663.6556

Architects!

Many resources are available at www.garaventa.ca

- Design Specifications
- CAD Blocks
- Design and Planning Guides
- Photo Gallery

Garaventa Lift

Toll Free: 1.800.663.6556 Phone: +1.604.594.0422 Fax: +1.604.594.9915

Email: productinfo@garaventa.ca Web site: www.garaventaelevator.com


©2009 Garaventa Lift. As we are continuously improving our products, specifications outlined in this brochure are subject to change without notice.

Printed in Canada

37157-B-PB

Garaventa Elvoron LU/LA Model

Clear Inside Hoistway Dimensions (custom sizes available)



Car Size	A1	E1	A2	E2	A3	E3	A4	E4
48" x 54" (1220 x 1372)	73" (1854)	69" (1753)	81 ¹ / ₂ " (2070)	69" (1753)	N/A	N/A	N/A	N/A
42" x 60" (1067 x 1524)	79" (2007)	69" (1753)	87 ¹ / ₂ " (2223)	69" (1753)	N/A	N/A	N/A	N/A
51" x 51" (1295 x 1295)	N/A	N/A	N/A	N/A	74" (1880)	83 ³ / ₄ " (2127)	74" (1880)	83 ³ / ₄ " (2127)

Warning about LU/LA Elevators:

Local code authorities may have a limit on travel, capacity, car sizes and speed. Contact Garaventa before starting your project.

Technical Information:

Car Sizes:

Select one of the standard sizes or contact Garaventa. Car height 84" (2134mm).

Rated Load:

1400 lbs (635 kg)

Speed:

Standard: 30 fpm (0.15 m/s) nominal speed Option: 40 fpm (0.2 m/s) - contact Garaventa

Travel Range:

Standard: 25 ft (7.6 meters)

Option: 50 ft (15.2 meters) - contact Garaventa

Stops:

Up to 6 stops

Pit Depth:

Minimum 12" (305mm). More depending on the floor finish thickness.

Overhead Clearance (Refuge Space):

131" (3330mm)

120" (3050mm) with car top prop

Less than 120" (3050mm) - contact Garaventa

Drive System:

1:2 Cable Hydraulic

Heavy duty car sling with roller guide shoes running on 8 lb. per foot steel T-Rails

Quiet submersed pump and motor (5 HP)

Factory pre-set and tested 2-speed valve for smooth start and stop

Controls

Fully automatic push button operation Garaventa-Design PLC Controller Integrated self-diagnostics Digital floor indicator in car Automatic car lighting upon entry Illuminated push buttons



Power Supply:

Elevator: Standard: 208 VAC three phase Option: 230 VAC single phase

Lighting: 110 VAC single phase, 15 amps

Doors

36" x 80" (914mm x 2032mm) two-speed horizontal sliding hoistway and car doors

Safety Features:

Emergency backup power system Emergency manual lowering valve

Safety brake system

Car operator with integral gate switch Automatic bi-directional floor levelling Emergency alarm button in car Emergency keyed stop switch in car

Overspeed valve

Final limit switch

Unique Standard Features:

Braille markings

Car direction lantern comes with audio and visual signals

Full height photo-electric door sensors

Code Compliance:

ASME A17.1, Section 5.2 LU/LA Elevators CSA B-44, Section 5.2 LU/LA Elevators ADA (Americans with Disabilities Act)

Popular Options:

Integrated hands free telephone Custom car finishes

Additional handrails

Fireman service

Car top prop

Buffer springs (increases your pit depth)

